



CAERLEON URBAN DISTRICT COUNCIL

THE
PUBLIC HEALTH
REPORT

For the year ending

31st December

1972

Council Offices,
Town Hall,
Caerleon, Mon.
NP6 1XA

Hywel G. Jenkins, M.B., B.S.,
M.F.C.M., D.P.H.

Medical Officer of Health

Telephone: Caerleon 420707

CAERLEON URBAN DISTRICT COUNCIL

Chairman of the Council - Councillor E.J.Parker
Vice-Chairman of the Council -- Councillor S.J.Veale
and Chairman of the Finance/
Public Health Committee

Members of the Council and Public Health Committee

Councillor G.E.Gough

Councillor J.Williams

Councillor J.Waggett

Councillor J.T.Kirkwood

Councillor R.J.Pritchard

Councillor G.Rowlands

Councillor A.T.Day

Councillor Mrs. L.M.Lewis

Councillor Mrs. V.Burnell-Jones

Councillor T.R.Baldwin

MEDICAL OFFICERS OF HEALTH

1873 - 1888	Dr. J.A.Morris
1888 - 1918	Dr. C.W.DeGruchy, L.R.C.P.
1919 - 1925	Dr. E.A.Idris Phillips, M.R.C.S., L.R.C.P.
1925 - 1932	Dr. A.M.Marsh Roberts, M.B., B.S.(Lond.)
1933 - 1934	Dr. H.C.Watson, M.B., Ch.B.
1935 - 1947	Dr. W.H.Reynolds, M.R.C.S.(Eng.), L.R.C.P.
1948 - 1960	Dr. E.D.Owen, M.B., B.S., D.P.H.
1960 - 1974	Dr. H.G.Jenkins, M.B., B.S., M.F.C.M., D.P.H.

THE URBAN DISTRICT COUNCIL OF CAERLEON

Annual Report of the Medical Officer of Health, for the year ending 31st December, 1972

To: The Chairman and Members of the Urban District Council
of Caerleon.

Ladies and Gentlemen,

I have the honour as Medical Officer of Health of your district to submit the Annual Report for 1972. It is compiled according to the directions of the Ministry of Health and includes the Report of the Public Health Inspector.

STATISTICS AND SOCIAL CONDITIONS

Area (in acres)	2,240
Registrar General's estimate of resident population mid-1972	7,290
Total Rateable Value at 1.4.72	£515,556
Number of inhabited houses (end of year) according to rate book	2,120
Sum represented by penny rate	£5,060

The Registrar General's estimate of the mid-year population of the Urban District, including approximately 391 patients at St.Cadoc's Hospital and 500 students and staff at Caerleon College of Education, was 7,290 for 1972, an increase of 690 compared with last year. There were 103 live births, 49 less than in 1971, and 68 deaths, 6 less than in 1971. The natural increase in population was 35, 43 less than in 1971, and 18 less than in 1970.

The Registrar General's comparability factors, necessary for the calculation of the local adjusted rates, the only statistics comparable with the national statistics, are 0.83 for births, 0.18 less than in 1971, and 0.81 for deaths. 0.16 more than last year.

Some commentary will follow each statistical section. It must always be remembered that, with Caerleon's small population, rates from year to year can vary considerably so that their statistical significance is doubtful.

VITAL STATISTICS

<u>Live Births:</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	57	44	101
Illegitimate	2	-	2
Total :	59	44	103
Crude live birth rate per 1,000 population	14.1
Local adjusted live birth rate per 1,000 population	11.7
Ratio of local adjusted live birth rate to national rate	0.8
Live birth rate for Monmouthshire per 1,000 population	15.3
Adjusted live birth rate for Monmouthshire per 1,000 population	15.8
Live birth rate for England and Wales per 1,000 population	14.8
Illegitimate live births per cent of total live births	2
Illegitimate live births per cent of total live births for England & Wales	9
Illegitimate live births as per cent of total live births for Monmouthshire	7



Digitized by the Internet Archive
in 2016 with funding from
Wellcome Library

<https://archive.org/details/b28831949>

In the last ten years the average yearly crude live birth rate has been 20 live births per 1,000 population. When compared with 1971 the crude live birth rate this year diminished by 8.9, and the local adjusted rate by 11.5 live births per 1,000 population. The live births for 1971, 152, were the largest number of yearly births in the last ten years. There were only 2 years in the last 10 years when the number of births were fewer than this year, 1967 with 98 live births and 1963 with 76 live births.

The crude live birth rate was 1.2 live births per 1,000 population less than for Monmouthshire and 0.7 less than for England and Wales. In the last ten years this is only the second year in which the crude live birth rate and the local adjusted rate have both been less than the rate for England and Wales.

Live birth rates per 1,000 population

<u>Year</u>	<u>Caerleon</u>		<u>England & Wales</u>
	<u>Crude</u>	<u>Adjusted</u>	
1963	15.61	17.33	18.2
1964	21.33	22.4	18.4
1965	21.37	22.22	18.1
1966	23.61	24.08	17.7
1967	17.16	17.34	17.2
1968	21.2	21.41	16.9
1969	22.22	22.44	16.3
1970	20.18	20.38	16.0
1971	23.00	23.2	16.0
1972	14.1	11.7	14.8

The local adjusted live birth rate was 4.1 less than the adjusted rate for Monmouthshire and 3.1 live births per 1,000 population less than for England and Wales.

The ratio of the local adjusted birth rate to the National rate was 0.79, 0.61 less than last year.

There were 2 illegitimate live births in Caerleon, compared with 6 in 1971. Illegitimate live births per cent of all live births decreased from 4 to 2 per cent. Illegitimate live births per cent of total live births for Monmouthshire increased from 6 to 7 per cent, and for England and Wales from 8 to 9 per cent.

Stillbirths:

	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	--	1	1

Total Live and Stillbirths:

Legitimate	57	45	102
Illegitimate	<u>2</u>	<u>--</u>	<u>2</u>
Total :	<u>59</u>	<u>45</u>	<u>104</u>

Total Live and stillbirths ... 104

Stillbirth rate per 1,000 total live and stillbirths ... 10

Stillbirth rate for Monmouthshire per 1,000 total live and stillbirths ... 12

Stillbirth rate for England and Wales per 1,000 total live and stillbirths ... 12

One female stillbirth was registered, the same number as last year. In the last 10 years the number of stillbirths has varied between none and three.

Stillbirths by Cause:

<u>Cause of Death</u>	<u>Number</u>
Anencephaly	1

The stillbirth rate per 1,000 live and stillbirths was 10, 3 more than last year, and 2 less than for Monmouthshire and for England and Wales. The rate of 12 for England and Wales, the lowest on record, is the same as that for Monmouthshire.

Infant Mortality:Deaths of infants (under 1 year of age):

	<u>Male</u>	<u>Female</u>	<u>Total</u>
Legitimate	1	-	1

Infant Mortality:

Infant mortality per 1,000 live births	... 10
Infant mortality for Monmouthshire per 1,000 live births	... 17
Infant mortality for England and Wales per 1,000 live births	... 17
Legitimate infant deaths per 1,000 legitimate live births	... 10
Legitimate infant deaths for Monmouthshire per 1,000 legitimate live births	... 17
Illegitimate infant deaths per 1,000 illegitimate live births	... -
Illegitimate infant deaths for Monmouthshire per 1,000 illegitimate live births	... 11
Illegitimate infant deaths per 1,000 illegitimate live births for England and Wales	... 21

There was one death of a male infant, 3 less than last year. The death was of an infant aged between 4 weeks and one year, and occurred at a hospital outside the Urban District.

The infant mortality rate decreased by 16 when compared with last year. It was 7 infant deaths per 1,000 live births less than for Monmouthshire and for England and Wales.

Infant mortality rates for Caerleon, Monmouthshire, and England and Wales, per 1,000 live births, are compared in the following table:-

<u>Year</u>	<u>Caerleon</u>	<u>Monmouthshire</u>	<u>England & Wales</u>
1963	-	25.57	20.9
1964	34.78	28.58	20.0
1965	16.4	21.21	19.0
1966	37.88	24.99	19.0
1967	10.2	21.82	18.3
1968	8.07	18.74	18.0
1969	29.85	20.73	18.0
1970	15.50	21.12	18.0
1971	26	15	18
1972	10	17	17

Infant deaths by Age and Cause:

<u>Cause of death</u>	<u>Number of deaths by age</u>		
	<u>Under 1 week</u>	<u>1 week to under 4 weeks</u>	<u>4 weeks to under 1 year</u>
Encephalitis	-	-	1

Neonatal deaths (deaths under 4 weeks of age):

Neonatal mortality per 1,000 live births	...	-
Neonatal mortality for Monmouthshire per 1,000 live births	...	10
Neonatal mortality for England and Wales per 1,000 live births	...	12

Early neonatal deaths (deaths under 1 week of age):

Early neonatal mortality rate
Early neonatal mortality rate for Monmouthshire		8
Early neonatal mortality rate for England & Wales		10

There were no early neonatal and neonatal deaths in Caerleon. The neonatal and early neonatal mortality rates for Monmouthshire and England and Wales were the same as in 1971.

Perinatal mortality rate (stillbirths and deaths under 1 week of age combined per 1,000 total live and stillbirths)

Perinatal mortality rate for Monmouthshire	...	20
Perinatal mortality rate for England & Wales	...	22

Perinatal mortality rates for the years 1963 to 1972:

<u>Year</u>	<u>Caerleon U.D.</u>	<u>Monmouthshire</u>	<u>England & Wales</u>
1963	25.6	35.8	29.1
1964	25.9	37.2	28.2
1965	32.0	36.0	26.9
1966	22.2	33.9	26.3
1967	20.2	29.1	25.4
1968	23.6	29.0	25.0
1969	24.4	27.3	23.0
1970	15.5	27.9	23.0
1971	26.0	24.0	22.0
1972	10.0	20.0	22.0

With the increasing percentage of hospital births, the perinatal mortality rate for England and Wales has decreased yearly for the years 1963 to 1969. A general downward trend is seen for Monmouthshire. For Caerleon, with its fewer number of births and smaller population, the perinatal mortality rate is more variable. The rates for 1970 and 1972 are both less than any rate for Monmouthshire or England and Wales. This year, with a rate of 10 stillbirths and deaths per 1,000 live and stillbirths, it is 10 less than that for Monmouthshire and 12 less than the national rate. For the first time in the last 11 years, the Monmouthshire perinatal mortality rate is less than that for England and Wales.

Maternal mortality:

Maternal mortality rate per 1,000 total births	...	-
Maternal mortality rate for Monmouthshire per 1,000 total births	...	-
Maternal mortality rate for England and Wales per 1,000 total births	...	0.15

No maternal deaths were attributed to pregnancy, childbirth or abortion.

DEATHS:

	<u>Male</u>	<u>Female</u>	<u>Total</u>
	34	34	68
Crude death rate per 1,000 population	9.3
Local adjusted death rate per 1,000 population	7.5
Crude death rate for Monmouthshire per 1,000 population	12.0
Adjusted death rate for Monmouthshire per 1,000	13.1
Death rate for England and Wales per 1,000 population	12.1
Ratio of local adjusted rate to national rate	0.62
Area comparability factor	0.81

Local Adjusted Death Rates for the Years 1963 - 1972:

<u>Year</u>	<u>Deaths per 1,000 Population</u>			<u>Caerleon</u>			
	<u>Caerleon</u>	<u>Mon.</u>	<u>Eng. & Wales</u>	<u>No. of deaths</u>			<u>Pop.</u>
				<u>Male</u>	<u>Female</u>	<u>Total</u>	
1963	11.7	13.7	12.2	37	40	77	4,870
1964	10.7	12.9	11.3	45	37	82	5,390
1965	9.0	12.3	11.5	45	42	87	5,710
1966	12.5	13.6	11.7	49	51	100	5,590
1967	9.5	12.9	11.2	37	44	81	5,710
1968	9.3	13.7	11.9	47	50	97	5,850
1969	16.7	14.0	11.9	51	50	101	6,030
1970	7.7	13.0	11.7	39	37	76	6,390
1971	7.3	13.4	11.6	38	36	74	6,600
1972	7.5	13.1	12.1	34	34	68	7,290

CAUSE OF DEATH AT DIFFERENT PERIODS OF LIFE

Cause of Death	Sex	Total	Under 4 weeks	1 to 5	5 to 15	15 to 25	25 to 35	35 to 45	45 to 55	55 to 65	65 to 75	and over
		All Ages	4 weeks & under	4 to 14	14 to 24	24 to 34	34 to 44	44 to 54	54 to 64	64 to 74	74 to 84	
Syphilis and its sequelae	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-
Malignant Neoplasm, Stomach	M	2	-	-	-	-	-	-	-	1	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Malignant Neoplasm, Lung, Bronchus	M	2	-	-	-	-	-	-	1	1	-	-
	F	2	-	-	-	-	-	-	-	2	-	-
Malignant Neoplasm, Breast	M	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-
Other Malignant Neoplasms	M	1	-	-	-	-	-	-	-	1	-	-
	F	3	-	-	-	-	-	-	1	1	-	1
Mental Disorders	M	3	-	-	-	-	-	-	-	2	1	-
	F	7	-	-	-	-	-	-	-	1	6	-
Other Diseases of Nervous System	M	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-
Ischaemic Heart Disease	M	5	-	-	-	-	-	-	1	2	2	-
	F	8	-	-	-	-	-	-	1	1	3	4
Other forms of Heart Disease	M	3	-	-	-	-	-	-	2	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-
Cerebrovascular Disease	M	3	-	-	-	-	-	-	-	-	3	-
	F	4	-	-	-	-	-	-	2	1	1	-
Other Diseases of Circulatory System	M	1	-	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	2	-

CAUSE OF DEATH AT DIFFERENT PERIODS OF LIFE (Contd.)

Cause of Death	Sex	Total Under 4 weeks 1 5 15 25 35 45 55 65 75												
		All Ages	4 weeks	1 & under 1 year	4 to 14	5 to 14	15 to 24	25 to 34	35 to 44	45 to 54	55 to 64	65 to 74	75 and over	
Pneumonia	M	11	-	-	-	-	-	-	-	-	2	4	5	
	F	3	-	-	-	-	-	-	-	-	-	3	-	
Bronchitis and Emphysema	M	1	-	-	-	-	-	-	1	-	-	-	-	
	F	1	-	-	-	-	-	-	-	-	-	-	1	
Cirrhosis of Liver	M	1	-	-	-	-	-	-	-	1	-	-	-	
	F	-	-	-	-	-	-	-	-	-	-	-	-	
All other accidents	M	-	-	-	-	-	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	2	
Total All Causes :	M	34	-	1	-	-	-	-	1	3	6	12	11	
	F	34	-	-	-	-	-	-	-	1	5	11	17	

DEATHS

In the last year the crude death rate per 1,000 population has decreased by 1.9 and the local adjusted rate increased by 0.2. The crude death rate and the adjusted death rate are less than the rates for Monmouthshire and the rate for England and Wales.

There were 34 deaths of males and an equal number of female deaths. In the last eleven years, in which time the population has increased from 4,420 to 7,290 persons, there have never been as few annual deaths.

Twenty-eight of the deaths were of persons aged 75 years and over, 23 were of persons aged between 65 and 74 years, and 17 were of those aged less than 65 years. Of the latter, 11 deaths were of males and 6 of females, whereas of those aged more than 65 years, 23 deaths were of males and 28 of females. In middle age, 45 to 64 years, of the 15 deaths, 9 were of males. Female deaths in this age group were last in excess of male deaths in Caerleon in 1967.

Twentynine deaths, 15 of males and 14 of females, 42.6 per cent of the total number of deaths, were of patients at St.Cadoc's Hospital. Four of these deaths, 2 more than last year, were of persons aged less than 65 years. Nine deaths were of persons aged between 65 and 79 years, and the remaining 16 deaths were of those aged 80 years and over. Of the 29 deaths, in only 10 were mental disorders considered to be the underlying cause of death.

Diseases of the heart and circulatory system continued as the major group of deaths, 38.2% of total deaths and nearly 2% more than last year. Fourteen deaths were of females and 12 of males. Of the 13 deaths due to ischaemic heart disease, an increasing cause of death in middle aged males, 8 were of females and 5 of males. In middle age, 3 of the 4 deaths were of men. Nine deaths due to this cause were of persons aged more than 65 years.

Deaths from respiratory diseases again replaced neoplasms as the next largest group of deaths. There were 16 deaths in this category, one more than last year, and 23.5% of all deaths. Fourteen deaths were attributed to pneumonia, and 2 to bronchitis and emphysema. Only 3 of the deaths were of persons aged less than 65 years. Of the 16 deaths, one took place at home and 3 at hospitals outside the Urban District.

DEATHS (Contd.)

Eleven deaths, 16.2% of all deaths, were attributed to mental disorders and other diseases of the nervous system, the same number as those due to neoplasms. Four deaths, 2 of males and 2 of females, were due to neoplasm of the lung, 2 to neoplasm of the stomach, one to neoplasm of the breast, and 4 to other malignant neoplasms.

* It is suggested that, by ensuring that sufficient exercise and physical activity is undertaken, by avoiding excessive weight and the smoking of cigarettes, the mortality and morbidity due to cancer of the lungs, bronchitis and ischaemic heart disease should all decrease.

Of the remaining 4 deaths, 2 were due to falls and were of persons aged over 75 years. The death due to cirrhosis of the liver was the result of chronic alcoholism.

* "In a word, exercise without doors in one shape or other, is absolutely necessary to health. Those who neglect it, though they may for a while drag out life, can hardly be said to enjoy it". Brogan W. 1802. Domestic Medicine p.118.

THE PREVALENCE AND CONTROL OF INFECTIOUS
AND OTHER NOTIFIABLE DISEASES

Notifiable Diseases (other than Tuberculosis) for 1972

<u>Disease</u>	<u>Cases notified</u>
Measles	36

Measles : 1963 - 1972

<u>Year</u>	<u>Number of Cases</u>
1963	85
1964	19
1965	57
1966	39
1967	63
1968	6
1969	55
1970	8
1971	8
1972	36

Measles, a disease of urban communities, becomes epidemic every second year. It was stated in this report last year that only eight cases in a non-epidemic year was an indication of the success of the measles eradication programme. Any thought of success has been short lived with 36 cases in the last four months of 1972, a non-epidemic year.

Apart from measles, no other cases of infectious disease were notified by general practitioners.

NOTIFIABLE DISEASES BY AGE GROUP
(Other than tuberculosis)

Diseases by Age Group

<u>Age</u>	<u>Measles</u>	
	<u>Male</u>	<u>Female</u>
Less than 1 year	-	-
1 year	3	4
2 years	1	2
3 years	1	1
4 years	4	1
5 - 9 years	13	5
10 - 14 years	1	-
15 - 24 years	-	-
25 years & over	-	-
	<u>23</u>	<u>13</u>

TUBERCULOSIS

No cases of respiratory or non-respiratory tuberculosis were notified in Caerleon.

At the end of the year, 27 cases remained on the tuberculosis register.

	<u>Respiratory</u>	<u>Non-respiratory</u>
Males	18	2
Females	6	1

NATIONAL ASSISTANCE ACT, 1948 - Section 47

Removal of persons in need of care and attention

No action was taken under this section in 1972.

GENERAL PROVISIONS OF THE HEALTH SERVICE IN THE AREA

Public Health Officers of the Authority:-

Medical Officer of Health who is also Medical Officer for the Cwmbran U.D.C. and Area Medical Officer for the No.8 Health Area of Monmouthshire County Council.

The Committee concerned with Public Health matters:-

Public Health Committee:- General control and advisory function. Sewage Disposal, Refuse Collection and Rodent Control

Recreation Committee Open Spaces and Cemetery.
Council Housing

SANITARY CIRCUMSTANCES OF THE AREA

After the resignation of the Public Health Inspector in February, the Council decided, in view of the imminent reorganisation of Local Government, to enter into an agency arrangement with Newport County Borough Council in respect of its public health functions.

I am indebted to Mr. R.G.Coslett, Chief Public Health Inspector, Newport County Borough Council, for the following report:-

Public Cleansing:

Household and trade refuse is collected once a week by Newport Corporation, collected from the kerbside and tipped in the Newport Maesglas refuse tip.

Water Samples:

The Gwent Water Board is the statutory undertaker in the area. Eight samples of the Public supply were taken for bacteriological and chemical examination. Each was satisfactory.

The Council has declared that it is in favour of the fluoridation of drinking water.

Public Swimming Baths:

Four samples were taken during the season and all were found to be satisfactory. Weekly tests were carried out on the chlorine content of the water.

Cemetery:

A public cemetery is maintained by the Council at Cold Bath Road, but the number of interments is small. The Council is a member of the Monmouthshire Joint Crematorium Committee.

Prevention of Damage by Pests Act:

Rodent Control is carried out on a part-time basis. Forty complaints of rat infestation were dealt with during the year. Eleven complaints of mice infestation were received and the appropriate action taken.

Recreation Facilities:

The Council has extensive sports playing fields and open spaces in the district.

Food Hygiene:

Number of Food Premises:

Schools & Institutions	6
Licensed Premises	15
Meat Shops	4
Fried Fish Shops	1
Bakehouses	1
Greengrocers	2
Cafes	4
General Grocers	7
Mixed businesses	<u>6</u>
	<u>46</u>

Number of Premises fitted to comply with Regulation 18 (personal washing facilities)	...	46
Number of Premises to which Regulation 21 applies (facilities for washing food and equipment)	...	41
Number of Premises fitted to comply with Regulation 21	...	41
Number of Premises inspected	...	46
Number of Premises at which contraventions were found and remedied	...	26
Total number of visits to food premises	...	59

Unsound Food:

3 cwt. 94 lbs. of unsound food was voluntarily surrendered and disposed of.

Offices, Shops & Railway Premises Act 1963:

Number of Premises Registered:

Offices	9
Shops	24
Wholesale shops, warehouses	1
Catering Establishments	12
	<u>46</u>

Number of Premises inspected	...	37
Number of Premises at which contraventions were found and remedied	...	20
Total number of visits	...	53

Hairdressers:

There are 6 hairdressing establishments within the District. All were inspected and found to be satisfactory.

Caravan Sites & Control of Development Act 1960:

During the year, there were 14 incidents of occupied caravans being illegally parked on open spaces. All 14 were moved without recourse to legal proceedings.

Deposit of Poisonous Waste Act 1972:

This Act, which came into operation in August 1972, requires any person depositing poisonous waste to notify the appropriate local authority.

97 notifications were received of waste oil being delivered to a storage depot. The oil is transferred in bulk to a disposal plant outside the District.

Noise Abatement:

- a) On 10 evenings during the year, the District was inspected for food vehicles, in particular ice-cream vans, operating loudspeakers outside permitted hours. No contraventions were noted.
- b) An investigation was made into complaints alleging a noise nuisance from the music of "pop" groups performing weekly concerts at the open-air swimming pool.

A nuisance was established and the concerts discontinued.

HOUSING STATISTICS

Inspection of dwelling houses during the year:

- | | |
|---|-----|
| (a) Total number of dwelling houses inspected for defects under the Public Health and Housing Acts | Nil |
| (b) Total number of housing inspections | Nil |
| (c) Number of dwelling houses found to be in such a state as to be unfit | Nil |
| (d) Number of dwelling houses (exclusive of those in (c) above, not in all respects reasonably fit) | Nil |

Houses rendered fit by formal action only:

No action was taken under the statutory powers of the Public Health or Housing Act.

Sixteen houses have been made fit by improvement schemes.

Demolition of unfit houses:

No houses were demolished during the year.

Underground rooms:

None in the area.

Number of houses owned by the Local Authority:

Permanent	511
Temporary	<u>15</u>
Total :	<u>526</u>

Rent Act 1957:

No certificates of disrepair were issued or cancelled during the year.

Council Offices,
Town Hall,
Caerleon, Mon.
NP6 1XA

HYWEL G. JENKINS
Medical Officer of Health

APPENDIX 1

VITAL STATISTICS - 1972

Mothers and Infants

LIVE BIRTHS:

Number	103
Rate per 1,000 population	14.1
Illegitimate Live Births (% of totallive births)	2%

STILLBIRTHS:

Number	1
Rate per 1,000 total live and stillbirths	10

TOTAL LIVE AND STILLBIRTHS 104

INFANT DEATHS (deaths under one year) 1

INFANT MORTALITY RATES:

Infant deaths per 1,000 live births	10
Legitimate infant deaths per 1,000 legitimate live births	10
Illegitimate infant deaths per 1,000 live births	-

NEONATAL MORTALITY RATE (deaths under 4 weeks per
1,000 total live births) -

EARLY NEONATAL MORTALITY RATE (deaths under one
week per 1,000 total
live births) -

PERINATAL MORTALITY RATE (stillbirths and deaths
under 1 week combined
per 1,000 total live
births and stillbirths) 10

MATERNAL MORTALITY (including abortion):

Number of deaths	-
Rate per 1,000 total live and stillbirths	-

FACTORIES ACTS 1937 - 1959

Appendix 2

Part 1 of the Act:

1) Inspections for purposes of provisions as to Health (including inspection made by Public Health Inspector).

Premises (1)	Number on Register (2)	Number of:			
		Inspections (3)	Written Notices (4)	Occupiers Prosecuted (5)	
(i) Factories in which Sections 1,2,3,4 and 6 are to be enforced by Local Authorities	-	-	-	-	
(ii) Factories not included in (i) in which Section 7 is enforced by the Local Authority.	17	9	6	-	
(iii) Other premises in which Section 7 is enforced by the Local Authority (excluding outworkers' premises).	-	-	-	-	
Total :	17	9	6	-	

Part VIII of the Acts:

Outwork

Section 110 and 111

2) There are no outworkers registered in the district.

